



भारत सरकार

GOVERNMENT OF INDIA

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन
PETROLEUM AND EXPLOSIVES SAFETY
ORGANISATION

(पूर्व नाम - विस्फोटक विभाग)

(Formerly- Department of Explosives)

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन, केन्द्रीय कार्यालय परिसर,

Block, 5th Floor, CGO Complex,

सह्याद्री हिल्स, नागपूर - 440 006 (महा)

Sahyadri Hills, Nagpur- 440006

तार- "विस्फोटक", नागपूर
Telegram: 'EXPLOSIVES', Nagpur
Website : <http://peso.gov.in>
Email: explosives@explosives.gov.in
दूरभाष/ Telephone : 0712-2510248
फैक्स/ FAX : 2510577

कार्यालयीन उद्देश्य के सभी पत्रादि "मुख्य विस्फोटक नियंत्रक" के पदनाम से भेजे जाए उनके व्यक्तिगत नाम से नहीं.

All communications intended for this Office should be addressed to the 'Chief Controller of Explosives' and NOT to him by name.



No. PV(M)-815/III
Nagpur, dated 09.08.2017

To,

M/s. Anwasha Engineering & Projects Ltd.,
Anwasha House,
Senate Square, A Tower, Vuda Road,
Gotri, Baroda - 390 021
GUJARAT

Sub: Fabrication of *Non-cryogenic* Pressure Vessels in your existing fabrication shop at *Plot No.716, Road No. 12, GIDC, Savli, Manjusar, Baroda (Gujarat) under SMPV (U) Rules 2016.- Extension of validity of shop approval*

Dear Sirs,

Please refer to your letter no. IOTAC/WS-716/CCOE/2017/03 dated 06.07./2017

The approval for fabrication of unfired pressure vessels in your workshop *Plot No.716, Road No. 12, GIDC, Savli, Manjusar, Baroda (Gujarat) granted* vide this letter of even no. dated 15/09/2015 is hereby extended for further period upto 31.12.2017 with the advice to obtain "U" stamp before 31.12.2017 and also submit copy of ISO certificate. Further extension will be considered only on submission of "U" stamp certification. The other terms and conditions contained in this office letter dated 15/09/2015 remain unchanged and should be complied with strictly.

This is in supersession to this office letter of even no. dated 31/07/2017.

Attached copy

Yours faithfully,

[Signature]
हुते मुख्य विस्फोटक नियंत्रक
For Chief Controller of Explosives

(V. B. Borgaonkar)
Dy. Chief Controller of Explosives
for Chief Controller of Explosives

Copy forwarded for information to :-

1. The Jt Chief Controller of Explosives, West Circle, Mumbai.
2. The Dy. Chief Controller of Explosives, Baroda